자율안전확인신고필증번호
B675K0006-19001

NOX
LVS + GREEN
LUXURY VINYL SHEET

SHEET NOX Roll Sheet Collection 4.5T
3.2T

NOX Customer Service Center
080-520-7600 Collect Call

KD Center (06643) 355, Hyoryeong-ro, Seocho-gu, Republic of Korea
Head Office 467, Sapgyopyeongya-ro, Godeok-myeon, Yesan-gun,
Chungcheongnam-do, Republic of Korea

NOX Corp.

NOX FLOR®
by NOX Corp.

NOX
LVS + GREEN
LUXURY VINYL SHEET

SHEET NOX Roll Sheet Collection 4.5T
3.2T

QUIET MARK Certified Flooring
*A globally recognized certification
awarded by the UK Noise Abatement Society

NOX FLOR®

NOX
LVS+ GREEN
LUXURY VINYL SHEET

SHEET NOX Roll Sheet Collection 4.5T
3.2T

The product and color on the image may differ from the actual product due to printing limitations

Raising Your Life Standard

NOX LVS+ GREEN

4.5T / 3.2T

Next-Level Safety Technology for Slip Protection

Internationally Certified Acoustic Performance

Global Award-Winning Premium Design

LVS-3208

Flooring that Raises Your Life Standard

Next-level Standard with, NOX LVS+GREEN!

01

Safety ensured for all family members, from seniors to pets

Flooring must be designed to provide safety, as it is used daily by all family members-children, pets, and seniors who are more vulnerable to injuries. NOX LVS+ GREEN combines next-level quality and advanced technology, designed to deliver comfort and safety for everyone, elevating the standard of everyday life.

Knee Support for Seniors

Protects Pets from Joint Injuries

Reduces Risk of Injury for Children

UK's Noise Abatement Society Certified,

Innovative Solutions for Noise Pollution!

02

Quiet Mark is an independent global certification programme, established by the UK Noise Abatement Society (1959). Through scientific testing and assessment, it identifies the quietest products across multiple categories. Recognized as a trusted consumer and trade mark of approval, Quiet Mark provides reliable, independent information on product noise levels and verified noise reduction performance before purchase.

The integration of NOX SOUNDPROTEC technology with a highly elastic 3-layered cushion **minimizes disruptive noises throughout the home—from floor-to-floor impact and vacuum sounds to footsteps and furniture movement.**

| Impact Sound Insulation Test



※ Testing Institution: In-House Laboratory (Internal Test Environment)
※ Test Method: Noise Insulation Performance evaluation based on ISO 10140-3 –
1) Test Floor: Marble (89.6dB) / 2) Sound Source: Lightweight Impact Source (Tapping Machine)

Healthier Indoor Spaces, Safer Steps

Safety Technology for Everyone's Safety Protection!

03

Premium PU Coating for Superior Slip Resistance

Each year, 1 in 4 seniors experience a fall, a leading cause of injury and injury-related death. NOX LVS+GREEN offers a reliable safety solution for every environment, NOX LVS+GREEN offers a reliable safety solution for every environment. strong non-slip surface layer ensures superior slip resistance preventing falls and slip protecting seniors, children, and pets alike.

* U.S. Center for Disease Control and Prevention (CDC)

| Slip Resistance Test

NOX LVS+GREEN has surface coating 1.5 times more slip-resistant with than engineered wood flooring, ensuring safety in everyday

Laminate / Enhanced Engineered Wood 0.71

NOX LVS+ GREEN 4.5T 1.10

X1.5 higher than other wood flooring

※ Test Center: Korea Conformity Laboratories(KCL)
※ Test Standard: KS M 3510, KS M 3802
※ Test Value: Coefficient of Slip Resistance (C.S.R · B)
※ Test Condition: Barefoot, wet surface (water sprayed in 400g/m^2proportion)

Certified Safety for Pets

NOX LVS+GREEN is a Pet Safety (PS) certified flooring solution, having passed stringent safety standards for formaldehyde emissions, heavy metal toxicity, slip resistance, durability, and more—ensuring proven safety for pets and families alike

Premium pet-safe flooring, built with care, made to share

Built for Healthier Living from the Ground Up

NOX LVS+GREEN is a carbon-reducing flooring solution, carrying international certifications and meeting strict requirements for indoor air quality, low VOC emissions, heavy metals, and phthalates - safe for everyday life

Highly Elastic 3-Layered Cushion Structure

Ultimate Soft Underfoot Experience!

04

Strain & Stress Relief Technology for Everyday Life

Powered by the highly elastic 3-layered cushion and NOX EMT™ Core technology, LVS⁺GREEN minimizes strain and impact stress on the body during walking, delivering unmatched comfort for everyday life.

NOX LVS⁺GREEN 4.5T Cushion Structure | Other 5T Roll Sheet



Advanced Impact Absorption, preventing fall- injuries

Engineered with a highly elastic 3-layered cushion structure, NOX LVS⁺GREEN absorbs 2.3 times more impact than typical wood flooring, effectively reducing the severity of fall-related injuries and easing stress on the back and joints, ensuring safer everyday living.

| Impact Resistance Test Result

※ Measuring the height of a bouncing golf ball at 1.5m high
※ Test Result by Own Lab

Easy Installation, Saving Time and Cost

With a thinner profile than standard products, NOX LVS⁺GREEN offers easier installation and superior resilience, helping reduce both time and cost.

Higher Resistance, Lower Maintenance

Unrivaled Hygiene Surface Coating Technology!

05

Surface Protection for Microbial Contamination

Applied with EPT™ Shield technology, the clear surface coating provides unmatched resistance to scratches, dents, discoloration, and stains.The antimicrobial materials used in the EPT™ Shield process are US EPA certified for safety (※ US EPA: US Environmental Protection Agency)

| Repeated Scratch Test (EN 16094)



| Mold Growth Test



Seamless Defense & Easy Maintenance

NOX LVS⁺GREEN features a seamless tile-grout design with no joints to trap dirt or moisture, keeping the floor cleaner, more hygienic, and easier to maintain. Combined with its advanced EPT™ Shield surface coating that resists everyday scratches and stains, it stays fresh and reliable for long-lasting performance.

| Seam Contamination Test

| Key Scratch Test for 30 seconds



Global Awards-Winning Designs

The Essence of Nature That Complete Your Space!

06

Expanded Scale, GRANDE Design with Natural Authenticity

With 900×900mm stone tiles and wood planks extended 2.4 times longer, NOX's GRANDE Design technology minimizes pattern repetition to create a more open, natural, and sophisticated space.



Incorporating NOX's advanced design techniques, Rustic Edge and Embossed-in-Register (EIR), LVS+GREEN delivers a more natural and realistic look that replicates authentic materials. Rustic Edge technology creates more natural-looking seams, while Embossed-in-Register (EIR) embossing adds depth to wood grain and other natural textures.



NOX's Sensory Design That Sets the Trend Standard

NOX is a global flooring company with over 6,000 in-house design solutions, recognized by numerous international design awards. The LVS+GREEN Design Collection, curated by our design team, leads global space trends and completes interiors with natural elegance

World's First Carbon-Reducing Raw Material Conversion

Next Level Sustainable Flooring Starting from Raw Materials!

07

Leading sustainability innovation by replacing major flooring raw materials with carbon-reducing alternatives.

This sustainable flooring is made from 100% recyclable composite resin based on a blend of 57% chlorine from salt and 43% ethylene from natural gas.

Benefit both nature and people with trusted carbon-reducing materials!

NOX is the world's first company to replace the main raw materials used in flooring with recycled resources such as PET water bottles that once contained drinking water and used cooking oil, creating flooring that is safe for both nature and people. These raw materials have been certified for their environmental safety by EcoVadis, the world's largest and most reputable global sustainability rating agency, as well as the ISCC PLUS certification, an eco-friendly accreditation compliant with the European Union's (EU) renewable energy directive. Upon customer request, up to 90% of the raw materials can be substituted with carbon-reducing materials in the manufacturing process.

Reduce Waste with World-Recognized Superior Quality!

Through NOX's EMT™ Core technology, globally recognized quality is preserved intact.

100% Recyclable Flooring!

NOX is strengthening its commitment to producing only easily recyclable flooring, leading global sustainability innovation with the NOX LVS+GREEN flooring collection.

4.5T PATTERN COLLECTION

4.5T
NEW

제품규격 **두께 (T)** 4.5mm **폭 (W)** 1,830mm **권취 (L)** 18m / Roll
제품용도 어린이집, 학교, 일반주택, 아파트거실/방/다용도, 종교시설 내실용 바닥재 등

LVS-4506 루나오크 헤이즈

LVS-4507 내츄럴오크 브라운

LVS-4508 내츄럴오크 샌드

LVS-4509 브리즈 스톤

LVS-4510 에디션 그레이지

LVS-4511 젠틀 라이트

LVS-4512 이모션 그레이

본 카달로그에 사용된 이미지는 인쇄 특성상 실제 제품과 차이가 있을 수 있습니다.

3.2T PATTERN COLLECTION

3.2T
NEW

제품규격 **두께 (T)** 3.2mm **폭 (W)** 1,830mm **권취 (L)** 23m / Roll
제품용도 어린이집, 학교, 일반주택, 아파트거실/방/다용도, 종교시설 내실용 바닥재 등

LVS-3208 마호가니 아르떼

LVS-3209 사하라 화이트

LVS-3210 젠틀 스톤

LVS-3211 젠틀 테라

LVS-3214 세이블오크 카멜

LVS-3212 와이드오크 화이트

LVS-3213 멜로우오크 베이지

LVS-3204 스칸디안 브라운

LVS-3215 멜로우오크 딥

LVS-4506

The product and color on the image may differ from the actual product due to printing limitations

LVS-4506

Luna Oak Haze 루나오크 헤이즈

단위무늬 : 1,800 × 1,500mm / 정시공 • 역시공
두께/쪽무늬/폭 : 4.5mm / 180 × 1,500mm / 1.83m

동조엠보싱

GRANDE
Design

LVS-4507

The product and color on the image may differ from the actual product due to printing limitations

LVS-4507

Natural Oak Brown 내츄럴오크 브라운

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 4.5mm / 150 × 850mm / 1.83m

동조엠보싱

LVS-4508

The product and color on the image may differ from the actual product due to printing limitations

4.5T
NEW

LVS-4508

Natural Oak Sand 내츄럴오크 샌드

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 4.5mm / 150 × 850mm / 1.83m

동조엠보싱

LVS-4509

The product and color on the image may differ from the actual product due to printing limitations

LVS-4509

Breeze Stone 브리즈 스톤

단위무늬 : 1,800 × 900mm / 정시공 • 역시공
두께/쪽무늬/폭 : 4.5mm / 900 × 900mm / 1.83m

동조엠보싱

GRANDE
Design

LVS-4510

The product and color on the image may differ from the actual product due to printing limitations

4.5T
NEW



LVS-4510

Edition Greige 에디션 그레이지

단위무늬 : 1,800 × 1,200mm / 정시공 · 역시공
두께/쪽무늬/폭 : 4.5mm / 600mm (mix) / 1.83m

동조엠보싱 러스틱 엣지

LVS-4511

The product and color on the image may differ from the actual product due to printing limitations

4.5T
NEW



LVS-4511

Gentle Light 젠틀 라이트

단위무늬 : 1,800 × 1,200mm / 정시공 • 역시공
두께/쪽무늬/폭 : 4.5mm / 600 × 600mm / 1.83m

동조엠보싱

LVS-4512

The product and color on the image may differ from the actual product due to printing limitations

LVS-4512

Emotion Gray 이모션 그레이

단위무늬 : 1,800 × 1,200mm / 정시공 · 역시공
두께/쪽무늬/폭 : 4.5mm / 600 × 600mm / 1.83m

동조엠보싱

LVS-3208

The product and color on the image may differ from the actual product due to printing limitations

3.2T
NEW

LVS-3208

Mahogany Arte 마호가니 아르떼

단위무늬 : 1,800 × 1,200mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 300 × 600mm / 1.83m

동조엠보싱

LVS-3209

The product and color on the image may differ from the actual product due to printing limitations

LVS-3209

Sahara White 사하라 화이트

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 450 × 850mm / 1.83m

동조엠보싱

LVS-3210

The product and color on the image may differ from the actual product due to printing limitations



LVS-3210

Gentle Stone 젠틀 스톤

단위무늬 : 1,800 × 1,200mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 600 × 600mm / 1.83m

동조엠보싱

LVS-3211

The product and color on the image may differ from the actual product due to printing limitations

3.2T
NEW

LVS-3211

Gentle Terra 젠틀 테라

단위무늬 : 1,800 × 1,200mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 600 × 600mm / 1.83m

동조엠보싱

LVS-3214

The product and color on the image may differ from the actual product due to printing limitations

LVS-3214

Sable Oak Camel 세이블오크 카멜

단위무늬 : 1,800 × 1,500mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 180 × 1,500mm / 1.83m

동조엠보싱

GRANDE
Design

LVS-3212

The product and color on the image may differ from the actual product due to printing limitations

3.2T
NEW

LVS-3212

Wide Oak White 와이드오크 화이트

단위무늬 : 1,800 × 1,700mm / 정시공 · 역시공
두께/쪽무늬/폭 : 3.2mm / 150 × 850mm / 1.83m

동조엠보싱 러스틱 엣지

LVS-3213

The product and color on the image may differ from the actual product due to printing limitations

LVS-3213

Mellow Oak Beige 멜로우오크 베이지

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 129 × 850mm / 1.83m

동조엠보싱

LVS-3204

The product and color on the image may differ from the actual product due to printing limitations

LVS-3204

Scandian Brown 스칸디안 브라운

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 112.5 × 850mm / 1.83m

동조엠보싱

LVS-3215

The product and color on the image may differ from the actual product due to printing limitations

3.2T
NEW

LVS-3215

Mellow Oak Deep 멜로우오크 딥

단위무늬 : 1,800 × 1,700mm / 정시공 • 역시공
두께/쪽무늬/폭 : 3.2mm / 129 × 850mm / 1.83m

동조엠보싱